

## **KLLVSB**Steige- und Fallstück für KLL



## Zu befestigen mit:



Flachrundkopfschraube mit Flanschmutter VM

	<b>^</b>		$\rightarrow \parallel \leftarrow$	$\Rightarrow$			
	<b>\$</b>	$\leftrightarrow$	→   <u></u>	←			
Referenz	mm	mm	mm	mm	kg/stk	$\Diamond$	Einheit
KLLVSB60.150	60	150		1040	2,830	1	STK
KLLVSB60.200	60	200		1040	2,930	1	STK
KLLVSB60.300	60	300		1040	3,120	1	STK
KLLVSB60.400	60	400		1040	3,310	1	STK
KLLVSB60.450	60	450		1040	3,410	1	STK
KLLVSB60.500	60	500		1040	3,510	1	STK
KLLVSB60.600	60	600		1040	3,660	1	STK
KLLVSB110.150	110	150		1090	4,236	1	STK
KLLVSB110.200	110	200		1090	4,330	1	STK
KLLVSB110.300	110	300		1090	4,530	1	STK
KLLVSB110.400	110	400		1090	4,720	1	STK
KLLVSB110.450	110	445		1090	4,815	1	STK
KLLVSB110.500	110	500		1090	4,910	1	STK
KLLVSB110.600	110	600		1090	5,060	1	STK

Min. Anzahl Schrauben und Muttern VM6.10: 8 Stück.